

# RAK-ILLUSION



**RAK**  
CERAMICS

## ICONS



### FREE STANDING WASH BASIN

Lavabo free standing  
Lavabo freestanding  
lavamanos free standing  
Freistehendes Waschbecken.  
Напольная раковина



### COUNTER TOP WASH BASIN

Lavabo da appoggio  
Lavabo sur comptoir  
Encimera del lavamanos  
Aufgesetztes Waschbecken  
накладная раковина на столешницу



### WALL HUNG WASH BASIN

Lavabo sospeso  
Lavabo suspendu au mur  
lavamanos suspendido  
Eingesetztes Waschbecken  
Подвесная раковина



### BACK TO WALL CLOSE COUPLED WC

WC monoblocco a filo muro  
WC monobloc pose' au sol  
WC bloqueo al ras de la pared  
Rückwandmontage Tiefspul WC  
Пристенный унитаз-компакт



### BACK TO WALL WC

WC a filo muro  
WC posé au sol  
WC al ras de la pared  
Rückwandmontage WC  
Приставной унитаз



### WALL HUNG WC

WC sospeso  
WC contre le mur  
WC suspendido  
Wandhängendes WC  
Подвесной унитаз



### BACK TO WALL BIDET

Bidet a filo muro  
Bidet contre le mur  
Bidet al ras de la pared  
Rückwandmontage Bidet  
Приставное биде



### WALL HUNG BIDET

Bidet sospeso  
Bidet suspendu au mur  
Bidet suspendido  
Wandhängendes Bidet  
Подвесное биде



### SEAT AND COVER

Sedile e coperchio  
Siège et couvercle  
Asiento y tapa  
Sitz und Deckel  
Сиденье и крышка

## TECHNICAL INFORMATION

Informazioni Tecniche  
Informations Techniques  
Información Técnica  
Technische Informationen  
Техническая информация



### P-TRAP

A parete  
Murale  
A pared  
P-Falle  
Сифон с горизонтальным отводом



### S-TRAP

A terra  
Au sol  
A piso  
S-Falle  
Сифон с вертикальным отводом



### BOTTLE TRAP

Sifone  
Siphon  
Sifón  
Siphon  
Бутылочный сифон



### SPRAY DOUCHE SET

Doccetta bidet  
Bidet-douche  
Ducha bidet  
Duschbidet  
Душ-биде



COMPATIBLE WITH 4.5L DUAL FLUSHING. FACTORY SETTING IS 6L  
Compatible con doppio scaricp 4.5L.  
Preconfigurato a 6l.  
Compatible avec le système de double chasse à 4.5 litres. Calibrage de fabrication 6 litres.  
compatible con doble descarga4.5L  
Ajuste de fábrica configurado a 6 L.  
Kompatibel mit dem Spülregulierungssystem mit 4.5 Liter. Herstellereinstellung 6 Liter  
Заводская настройка смыва-6 литров. Возможна настройка двойного смыва 4.5 литра.

### HIDDEN FIXATIONS

Fissaggio nascosto  
Fixation invisible  
Fijaciones ocultas  
Versteckte Befestigung  
Скрытая Фиксация

### COMFORT HEIGHT 42 CM

Altezza comfort 42 cm  
Cuvette wc hauteur 42 cm  
Altura de confort 42 CM  
Komfortable Höhe 42 cm  
Оптимальная высота 42 см

## RAK-ILLUSION

### A kind of magic

Amazement is a great sensation of wonder, brought by something unexpected. This is exactly the base of RAK-Illusions' design. Lines so light it creates an impression of suspension, its surprising details and unique character can make the bathroom a magical and unexpected place.



Lo stupore: una sensazione di grande meraviglia, provocata da qualcosa di inatteso. E' esattamente cio' che sta alla base del design di RAK-Illusion. Linee tanto leggere da sembrare sospese, dettagli sorprendenti e un carattere unico in grado di rendere la stanza da bagno un luogo magico ed inaspettato.



La stupeur : une sensation de grande merveille, provoquée par quelque chose d' inattendu. C' est exactement ce qui se trouve à la base du design RAK-Illusion. Lignes si légères qu' elles semblent suspendues, détails surprenants et un caractère unique, capable de faire de la salle de bains un lieu magique et inattendu.



Una especie de asombro mágico es una gran sensación de maravilla, traído por algo inesperado. Esta es exactamente la base del diseño de RAK-Illusions. Líneas tan ligeras que crean una impresión de suspensión, detalles sorprendentes y de un carácter único que hacen del baño un lugar mágico e inesperado.



Sprachlosigkeit : ein Gefühl der großen Verwunderung, die von etwas Unerwartetem ausgelöst wird. Genau darauf basiert das Design von RAK-Illusion. Linien, die so leicht sind, dass sie zu schweben scheinen, überraschende Details und ein einzigartiger Charakter, der das Badezimmer zu einem magischen und unerwarteten Ort macht.



Изумление - это великое чувство удивления, вызванное чем-то неожиданным. Это и есть основа дизайна коллекции RAK-Illusion. Линии настолько светлые, что создается впечатление подвешенности, ее удивительные детали и неповторимый характер могут превратить ванную комнату в волшебное и неожиданное место.

All ceramic cistern codes refer to bottom inlet version; all washbasin codes refer to one tap hole version, unless differently specified.

Tutti i codici per le cisterne si riferiscono alla versione con carico dal basso; tutti i codici dei lavabi si riferiscono alla versione con un foro, se non diversamente specificato

l'entrée de l'eau de tous les réservoirs pour nos wc monobloc ets positionnée dans la partie inférieure; tous nos lavabos sont prévus avec un seul trou pour les robinets (sauf specification différente)


Todos los códigos de las cisternas de cerámica se refieren a la versión con entrada inferior; todos los códigos de los lavabos se refieren a la versión con un agujero para grifo, salvo en caso de especificarse diversamente.

Alle Zulaufe für den Spülkasten befinden sic him unteren Bereichs des WCs: Alle Kodes der Waschbecken beziehen sich auf die Version mit einem Loch, falls nicht anders angegeben.

Если иное не указано, все коды для керамического бачка относятся к варианту с впускным отверстием снизу; все коды для раковины относятся к варианту с одним отверстием для крана.



-  60 CM
-  203 CM
-  52 CM
-  52 CM



*design* **RAK**  
CERAMICS

## Quality design for international tastes

RAK Ceramics product development has created a very wide range of products with carefully finished details and quality design to suit international tastes, incorporating the latest rimless technology.

Carefully designed and engineered with the aid of the latest 3D CAD softwares and prototyped with 5 axis CNC machines, RAK Ceramics Sanitaryware range has the perfect solution for your bathroom, whatever you have imagined.

## Rimless technology

RAK Ceramics delivers the ultimate in technology for bathroom suites. Based on similar design specifications to sanitaryware in hospitals and medical centres, RAK Ceramics Rimless water closets allows you to experience the same high standards of hygiene in your own home.

RAK Ceramics continues to set new standards of hygiene and water efficiency in the sanitaryware industry, with uniquely engineered water flushing systems that effectively remove waste, helping to keep bathrooms fresh and hygienic.

### **WATER SAVING**

Using just 4 litres for the full flush and 2.5 litres for the half flush, water usage is reduced by a third.

### **HYGIENIC AND EASY TO CLEAN**

The water closets have no rims to harbour germs, making cleaning quick, easy and more hygienic.

### **SILENT FLUSH**

Rimless technology allows a faster and more silent flush.

### **EFFICIENT DESIGN**

Design and efficiency can be successfully combined. Water flows vertically and horizontally, before flushing the entire inner surface of the bowl, without splashing.



Water Saving



Easy Cleaning



Silent



Hygienic



No ledges or rim




Rimless



## Hidden fixation systems

Our wall hung and back to wall products are benefitting of the collaboration with Fischer Group, one of the industry leaders. The use of the most innovative Fischer fixing systems, is allowing us design freedom on the ceramic, better aesthetics and more safety for the installer.

The Hidden Fixation System is comfortable and time saving, in fact one-man installation is made possible by the clip system that keeps the ceramic held up during the installation.



FOR BACK TO WALL AND FREE STANDING



FOR WALL HUNG



W 80 x D 3 x H 68CM  
JOYMR08068LED

80 CM  
JOYWH080SOK

SOK

40 CM  
JOYOS040MGY


MGY



-   60 CM
-  52 CM
-  52 CM



 64 CM



  55 CM



 52 CM  52 CM



 54 CM  52 CM  52 CM



 50 CM

 52 CM

Models | Modelli | Modèles | Modelos | Modelle | Модели



54 CM  
ILLFS5501AWHA

Hidden Fixations



54 CM  
ILLFS5500AWHA

Hidden Fixations




FOR WASH BASIN  
PP WHITE : BTRWBPPR020

With Flexible Hose

Inspectionable

Measurements | Misure | Dimensions | Medidas | Abmessungen | Размеры



Note | Nota | Remarque | Notas | Hinweis | Примечание

All dimensions in mm tolerance  $\pm 5\%$  for below 200mm and  $\pm 3\%$  for above 200mm | Tutte le dimensioni hanno una tolleranza di  $\pm 5\%$  mm al di sotto dei 200mm e di  $\pm 3\%$  mm al di sopra dei 200mm | Toutes les dimensions en mm tolérance  $\pm 5\%$  pour moins de 200mm et  $\pm 3\%$  pour plus de 200mm | Todas las medidas en mm con tolerancia de 5% para menos de 200mm y 3% para más de 200mm | Alle Abmessungen in mm, Toleranz  $\pm 5\%$  für unter 200mm, und  $\pm 3\%$  für über 200mm | Все размеры указаны в мм, погрешность  $\pm 5\%$  ниже 200 мм и  $\pm 3\%$  выше 200 мм



52 CM 54 CM

Models | Modelli | Modèles | Modelos | Modelle | Модели




65 CM  
ILLWB6501AWHA

60 CM  
ILLWB6001AWHA

55 CM  
ILLWB5501AWHA

50 CM  
ILLWB5001AWHA

Measurements | Misure | Dimensions | Medidas | Abmessungen | Размеры



Note | Nota | Remarque | Notas | Hinweis | Примечание

All dimensions in mm tolerance  $\pm 5\%$  for below 200mm and  $\pm 3\%$  for above 200mm | Tutte le dimensioni hanno una tolleranza di  $\pm 5\%$  mm al di sotto dei 200mm e di  $\pm 3\%$  mm al di sopra dei 200mm | Toutes les dimensions en mm tolérance  $\pm 5\%$  pour moins de 200mm et  $\pm 3\%$  pour plus de 200mm | Todas las medidas en mm con tolerancia de 5% para menos de 200mm y 3% para más de 200mm | Alle Abmessungen in mm, Toleranz  $\pm 5\%$  für unter 200mm, und  $\pm 3\%$  für über 200mm | Все размеры указаны в мм, погрешность  $\pm 5\%$  ниже 200 мм и  $\pm 3\%$  выше 200 мм

Models | Modelli | Modèles | Modelos | Modelle | Модели



MORFP2400AWHA

MORHP2500AWHA

60 CM  
ILLCT6000AWHA


FOR WASH BASIN  
ABS CHROME : BTRWBABS002  
FOR WASH BASIN  
INOX CHROME : BTRWBSST001

Suitable for Wash Basin : 65, 60, 55 CM

Suitable for Wash Basin : 65, 60, 55 CM

Inspectionable

Measurements | Misure | Dimensions | Medidas | Abmessungen | Размеры



# RAK-ILLUSION WITH RAK-JOY & RAK-PRECIOUS SURFACES



63 CM  
PRESL06347102A

Suitable for RAK-Illusion Counter Top WB : 60 CM



83 CM  
PRESL08347102A

Suitable for RAK-Illusion Counter Top WB : 60 CM



103 CM  
PRESL10347102A

Suitable for RAK-Illusion Counter Top WB : 60 CM



163 CM  
PRESL16347102A

Suitable for RAK-Illusion Counter Top WB : 60 CM



203 CM  
PRESL20347102A

Suitable for RAK-Illusion Counter Top WB : 60 CM




FOR VANITY  
PP WHITE : BTRWBPPR021

Inspectionable  
Compact Height

## RAK-PRECIOUS - COLORS AND FINISHES

RAK-PRECIOUS - FINITURE E COLORI | RAK-PRECIOUS - FINITURES ET COULEURS  
| RAK-PRECIOUS - COLORES Y ACABADOS | RAK-PRECIOUS - OBERFLÄCHEN UND FARBEN  
| RAK-PRECIOUS - ЦВЕТА И ОТДЕЛКА

	100 CARRARA (LAPPATO)		103 SURFACE XL COOL GREY (NATURAL)
	101 MACAUBAS (NATURAL)		104 BEHIND GREY (NATURAL)
	102 TRAVERTINO IVORY (LAPPATO)		105 UNI DARK BLACK (NATURAL)



60 CM  
ILLCT6000AWHA

203 CM  
PRESL20347102A

200cm = 2x W 100CM Units  
JOYWH100PWH x2

200CM = 2x W 100 x D 18 x H 68CM Cabinets  
JOYMC10003 x2

# RAK-ILLUSION WITH RAK-JOY & RAK-PRECIOUS SURFACES



63 CM  
PRESL06347102E

Suitable for RAK-Illusion WB :  
60 / 55 / 50 CM



83 CM  
PRESL08347102E

Suitable for RAK-Illusion WB :  
65 / 60 / 55 / 50 CM



103 CM  
PRESL10347102E

Suitable for RAK-Illusion WB :  
65 / 60 / 55 / 50 CM



123 CM  
PRESL12347102E

Suitable for RAK-Illusion WB :  
55 / 50 CM



163 CM  
PRESL16347102E

Suitable for RAK-Illusion WB :  
65 / 60 / 55 / 50 CM



FOR VANITY  
PP WHITE : BTRWBPPR021

Inspectionable  
Compact Height



203 CM  
PRESL20347102E

Suitable for RAK-Illusion WB :  
65 / 60 / 55 / 50 CM

### RAK-PRECIOUS - COLORS AND FINISHES

RAK-PRECIOUS - FINITURE E COLORI | RAK-PRECIOUS - FINITURES ET COULEURS  
| RAK-PRECIOUS - COLORES Y ACABADOS | RAK-PRECIOUS - OBERFLÄCHEN UND FARBEN | RAK-PRECIOUS - ЦВЕТА И ОТДЕЛКА

	100 CARRARA (LAPPATO)		103 SURFACE XL COOL GREY (NATURAL)
	101 MACAUBAS (NATURAL)		104 BEHIND GREY (NATURAL)
	102 TRAVERTINO IVORY (LAPPATO)		105 UNI DARK BLACK (NATURAL)



RAK-PRECIOUS  
COUNTER TOP SURFACES

65 CM  
ILLWB6501AWHA

203 CM  
PRESL20347102E

200cm = 2x W 100CM Units  
JOYWH100PWH x2

W 80 x D 2 x H 68CM  
JOYMR08068LED

Models | Modelli | Modèles | Modelos | Modelle | Модели



64 CM  
ILLWC1146AWHA  
ILLWT1800AWHA

66 CM  
ILLWC1045AWHA  
ILLWT1800AWHA

52 CM  
ILLWC1346AWHA

52 CM  
ILLWC1446AWHA


Hidden Fixations

Back open

Hidden Fixations

Hidden Fixations

Measurements | Misure | Dimensions | Medidas | Abmessungen | Размеры



Urea RAK-Illusion  
ILLSC3901WH

Urea RAK-Illusion  
ILLSC3901WH

Urea RAK-Illusion  
ILLSC3901WH

Urea RAK-Illusion  
ILLSC3901WH

Urea RAK-Illusion  
ILLSC3900WH

Urea RAK-Illusion  
ILLSC3900WH

Urea RAK-Illusion  
ILLSC3900WH

Urea RAK-Illusion  
ILLSC3900WH

Note | Nota | Remarque | Notas | Hinweis | Примечание

All dimensions in mm tolerance  $\pm 5\%$  for below 200mm and  $\pm 3\%$  for above 200mm | Tutte le dimensioni hanno una tolleranza di  $\pm 5\%$  mm al di sotto dei 200mm e di  $\pm 3\%$  mm al di sopra dei 200mm | Toutes les dimensions en mm tolérance  $\pm 5\%$  pour moins de 200mm et  $\pm 3\%$  pour plus de 200mm | Todas las medidas en mm con tolerancia de 5% para menos de 200mm y 3% para más de 200mm | Alle Abmessungen in mm, Toleranz  $\pm 5\%$  für unter 200mm, und  $\pm 3\%$  für über 200mm | Все размеры указаны в мм, погрешность  $\pm 5\%$  ниже 200 мм и  $\pm 3\%$  выше 200 мм



52 CM 52 CM

Models | Modelli | Modèles | Modelos | Modelle | Модели



52 CM  
ILLBD2015AWHA

Hidden Fixations



52 CM  
ILLBD2101AWHA

Hidden Fixations




SET WITH MIXER (SHATAFF)  
BRASS CHROME: SPRDOMX0001



FOR BIDET  
ABS CHROME: BTRBDABS010  
PP WHITE: BTRBDPPR011

Inspectionable

Measurements | Misure | Dimensions | Medidas | Abmessungen | Размеры



Note | Nota | Remarque | Notas | Hinweis | Примечание

All dimensions in mm tolerance  $\pm 5\%$  for below 200mm and  $\pm 3\%$  for above 200mm | Tutte le dimensioni hanno una tolleranza di  $\pm 5\%$  mm al di sotto dei 200mm e di  $\pm 3\%$  mm al di sopra dei 200mm | Toutes les dimensions en mm tolérance  $\pm 5\%$  pour moins de 200mm et  $\pm 3\%$  pour plus de 200mm | Todas las medidas en mm con tolerancia de 5% para menos de 200mm y 3% para más de 200mm | Alle Abmessungen in mm, Toleranz  $\pm 5\%$  für unter 200mm, und  $\pm 3\%$  für über 200mm | Все размеры указаны в мм, погрешность  $\pm 5\%$  ниже 200 мм и  $\pm 3\%$  выше 200 мм



52 CM 52 CM

RAK CERAMICS  
P.O. Box 4714, Ras Al Khaimah,  
United Arab Emirates (U.A.E.)  
Tel.: +971 7 2467000  
Fax: +971 7 2445270  
Email : info@rakceramics.com

---

**RAKCERAMICS.COM**

---

# RAK

CERAMICS